ELSEVIER

Neuroscience Letters 267 (1999) 209–212

Neuroscience Letters

# Author Index to Volume 267

Abe, H., see Namihira, M., 69
Akao, Y., Nakagawa, Y., Maruyama, W., Takahashi, T., Naoi, M., Apoptosis induced by an endogenous neurotoxin, *N*-methyl(*R*)salsolinol, is mediated by activation of caspase 3, 153
Akiyama, K., see Hozumi, I., 73
Arita, J., see Yamakawa, K., 113

Babb, T.L., see Mikuni, N., 165
Barni, T., see Pacini, S., 185
Baron-Van Evercooren, A., see Detrait, E., 49
Bartlett, P.F., see Murray, S.S., 45
Bayer, L., Poncet, F., Fellmann, D., Griffond, B., Melanin-concentrating hormone expression in slice cultures of rat hypothalamus is not affected by 2-deoxyglucose, 77
Behan, M., Brownfield, M.S., Age-related changes in serotonin in the hypoglossal nucleus of rat: implications for sleep-disordered breathing, 133
Benjamin, P.R., see Horn, C.C., 161
Bent, L.R., see McIlroy, W.E., 197
Bliss, T.M., see Brooke, S.M., 21
Boers, J., Gerrits, P.O., Meijer, E., Holstege, G., Estrogen receptor-alpha-immunoreactive neurons in the mesencephalon, pons and medulla oblongata of the female golden hamster, 17
Bondy, S.C., Truong, A., Potentiation of beta-folding of $\beta$-amyloid peptide 25–35 by aluminum salts, 25
Borlongan, C.V., Kwanbara, Y., Fujisaki, T., Watanabe, S., Cyclosporine-A reduces spontaneous place preference in adult rats, 169
Brady, T.C., see Sheng, H., 13
Brooke, J.D., see McIlroy, W.E., 197
Brooke, S.M., Bliss, T.M., Franklin, L.R., Sapolsky, R.M., Quantification of neuron survival in monolayer cultures using an enzyme-linked immunosorbent assay approach, rather than by cell counting, 21
Brownfield, M.S., see Behan, M., 133

Cadini, D., see Palumbo, B., 97
Chamas, F., Serova, L., Sabban, E.L., Tryptophan hydroxylase mRNA levels are elevated by repeated immobilization stress in rat raphe nuclei but not in pineal gland, 157
Chan, P.H., see Morita-Fujimura, Y., 201
Chang, C.-K., Chueh, F.-Y., Hsieh, M.-T., Lin, M.-T., The neuroprotective effect of DL-tetrahydropalmatine in rat heatstroke, 109
Cheema, S.S., see Murray, S.S., 45
Chen, S.F., see Morita-Fujimura, Y., 201
Chen, X., Tanner, K., Levine, J.D., Mechanical sensitization of cutaneous C-fiber nociceptors by prostaglandin $E_2$ in the rat, 105
Chikada, N., see Harada, S., 125
Christi, W., see Mikuni, N., 165
Chueh, F.-Y., see Chang, C.-K., 109
Chun, M.-H., see Kim, I.-B., 193
Crapo, J.D., see Sheng, H., 13
Crémieux, J., see Golomer, E., 189
Cui, J., Iwase, S., Mano, T., Katayama, N., Mori, S., Muscle sympathetic nerve response to vestibular stimulation by sinusoidal linear acceleration in humans, 181

Darbin, O., Risso, J.J., Rostain, J.C., The full expression of locomotor and motor hyperactivities induced by pressure requires both striatal dopaminergic and *N*-methyl-D-asparate receptor activities in the rat, 149
Demura, H., see Harada, S., 125
Detrait, E., Laduron, S., Meremans, V., Baron-Van Evercooren, A., van den Bosch de Aguilar, P., Knoops, B., Expression of integrins by murine MSC80 Schwann cell line: relationship to cell adhesion and migration, 49
Dougherty, P.M., see Lemstra, A.W., 129
Dowjat, W.K., Wisniewski, T., Efthimiopoulos, S., Wisniewski, H.M., Inhibition of neurite outgrowth by familial Alzheimer's disease-linked presenilin-1 mutations, 141
Drago, F., see Rampello, L., 93
Duman, R.S., see Nibuya, M., 81
Dupui, P., see Golomer, E., 189

Efthimiopoulos, S., see Dowjat, W.K., 141

Fellmann, D., see Bayer, L., 77
Filipponi, E., see Palumbo, B., 97
Franklin, C.E., see Söderström, V., 1
Franklin, L.R., see Brooke, S.M., 21
Fravolini, M.L., see Palumbo, B., 97
Fujimura, M., see Morita-Fujimura, Y., 201
Fujisaki, T., see Borlongan, C.V., 169

Gerrits, P.O., see Boers, J., 17
Ghobrial, M., see Struble, R.G., 137
Gold, B.G., Gordon, H.S., Wang, M.-S., Efficacy of delayed or discontinuous FK506 administrations on nerve regeneration in the rat sciatic nerve crush model: lack of evidence for a conditioning lesion-like effect, 33
Golomer, E., Crémieux, J., Dupui, P., Isableu, B., Ohlmann, T., Visual contribution to self-induced body sway frequencies and visual perception of male professional dancers, 189
Gordon, H.S., see Gold, B.G., 33
Griffond, B., see Bayer, L., 77

PII: S0304-3940(99)00384-5

Gulisano, M., see Pacini, S., 185

Hanzawa, H., see Nagasaki, K., 177
Harada, S., Imaki, T., Naruse, M., Chikada, N., Nakajima, K., Demura, H., Urocortin mRNA is expressed in the enteric nervous system of the rat, 125
Harigaya, Y., see Kanai, M., 65
Hawranko, A.A., Serafini, M., Smith, D.J., Anti-analgesia and reduced antinociception from supraspinally administered β-endorphin in stressed rats: dependence on spinal cholecystokinin via cholecystokinin B receptors, 101
Hayashi, M., Itabashi, T., Moriyama, Y., D-Aspartate is present in human retinoblastoma Y79 cells, 37
Hiraiwa, M., see Hozumi, I., 73
Hirao, N., see Wada, Y., 61
Holstege, G., see Boers, J., 17
Honda, K., see Koga, N., 173
Honma, K.-i., see Namihira, M., 69
Honma, S., see Namihira, M., 69
Horn, C.C., Benjamin, P.R., Weiss, K.R., Kupfermann, I., Decrement of the response of a serotonergic modulatory neuron (the metacerebral cell) in *Aplysia*, during repeated presentation of appetitive (food) stimuli, 161
Hozumi, I., Hiraiwa, M., Inuzuka, T., Yoneoka, Y., Akiyama, K., Tanaka, R., Kikugawa, K., Nakano, R., Tsuji, S., O'Brien, J.S., Administration of prosaposin ameliorates spatial learning disturbance and reduces cavity formation following stab wounds in rat brain, 73
Hsieh, M.-T., see Chang, C.-K., 109
Hwang, I.S.S., Tang, F., The distribution and gene expression of adrenomedullin in the rat brain: peptide/mRNA and precursor/active peptide relationships, 85

Ikeda, M., see Namihira, M., 69
Ikeda, S.-i., see Sekijima, Y., 121
Imaki, T., see Harada, S., 125
Inuzuka, T., see Hozumi, I., 73
Isableu, B., see Golomer, E., 189
Itabashi, T., see Hayashi, M., 37
Iwase, S., see Cui, J., 181

Jäncke, L., see Larisch, R., 29
Joni Shah, N., see Larisch, R., 29
Joo, C.-K., see Kim, I.-B., 193
Ju, W.-K., see Kim, I.-B., 193

Kametani, F., see Sekijima, Y., 121
Kamiya, H.-o., see Koga, N., 173
Kanai, M., Shizuka, M., Urakami, K., Matsubara, E., Harigaya, Y., Okamoto, K., Shoji, M., Apolipoprotein E4 accelerates dementia and increases cerebrospinal fluid tau levels in Alzheimer's disease, 65
Kanba, S., see Yamakawa, K., 113
Katayama, N., see Cui, J., 181
Kawase, M., see Morita-Fujimura, Y., 201
Kehren, F., see Larisch, R., 29
Kikugawa, K., see Hozumi, I., 73
Kim, I.-B., Lee, E.-J., Kim, K.-Y., Ju, W.-K., Oh, S.-J., Joo, C.-K., Chun, M.-H., Immunocytochemical localization of nitric oxide synthase in the mammalian retina, 193
Kim, K.-Y., see Kim, I.-B., 193
King, C., Nicol, T., McGee, T., Kraus, N., Thalamic asymmetry is related to acoustic signal complexity, 89
Knoops, B., see Detrait, E., 49
Koga, N., Takano, Y., Honda, K., Saito, R., Kamiya, H.-o., Roles of nitric oxide in the spinal cord in cardiovascular regulation in rats, 173
Koshino, Y., see Wada, Y., 61
Kötter, R., see Larisch, R., 29
Kraus, N., see King, C., 89
Krekule, I., see Popivanov, D., 5
Kudo, K., see Yamakawa, K., 113
Kupfermann, I., see Horn, C.C., 161
Kwanbara, Y., see Borlongan, C.V., 169

Laduron, S., see Detrait, E., 49
Larisch, R., Kötter, R., Kehren, F., Tosch, M., Joni Shah, N., Theodor Kalveram, K., Jäncke, L., Müller-Gärtner, H.-W., Motivation effects in a dichotic listening task as evident from functional magnetic resonance imaging in human subjects, 29
Lee, E.-J., see Kim, I.-B., 193
Lee, J.I., see Lemstra, A.W., 129
Leiter, J.C., see St.-John, W.M., 206
Lemke, R., Roßner, S., Schliebs, R., Leukemia inhibitory factor expression is not induced in activated microglia and reactive astrocytes in response to rat basal forebrain cholinergic lesion, 53
Lemstra, A.W., Verhagen Metman, L., Lee, J.I., Dougherty, P.M., Lenz, F.A., Tremor-frequency (3–6 Hz) activity in the sensorimotor arm representation of the internal segment of the globus pallidus in patients with Parkinson's disease, 129
Lenz, F.A., see Lemstra, A.W., 129
Lephart, E.D., Watson, M.A., Maternal separation: hypothalamic-preoptic area and hippocampal Calbindin-$D_{28K}$ and calretinin in male and female infantile rats, 41
Levine, J.D., see Chen, X., 105
Lin, M.-T., see Chang, C.-K., 109

Maass, N., see Nagasaki, K., 177
Maki, B.E., see McIlroy, W.E., 197
Mano, T., see Cui, J., 181
Maruyama, W., see Akao, Y., 153
Matsubara, E., see Kanai, M., 65
McGee, T., see King, C., 89
McIlroy, W.E., Bent, L.R., Potvin, J.R., Brooke, J.D., Maki, B.E., Preparatory balance adjustments precede withdrawal response to noxious stimulation in standing humans, 197
Meijer, E., see Boers, J., 17
Meremans, V., see Detrait, E., 49
Mikuni, N., Babb, T.L., Christi, W., Increased NR1–NR2A/B coassembly as a mechanism for rat chronic hippocampal epilepsy, 165
Minami, M., see Ozawa, T., 117
Mineva, A., see Popivanov, D., 5
Mitrofanis, J., see Power, B.D., 9
Mori, H., see Sekijima, Y., 121
Mori, S., see Cui, J., 181
Morita-Fujimura, Y., Fujimura, M., Kawase, M., Chen, S.F., Chan, P.H., Release of mitochondrial cytochrome c and DNA fragmentation after cold injury-induced brain trauma in mice: possible role in neuronal apoptosis, 201
Moriyama, Y., see Hayashi, M., 37
Müller-Gärtner, H.-W., see Larisch, R., 29

Murray, S.S., Bartlett, P.F., Cheema, S.S., Differential loss of spinal sensory but not motor neurons in the $p75^{NTR}$ knockout mouse, 45
Nagasaki, K., Sasaki, K., Maass, N., Tsukada, T., Hanzawa, H., Yamaguchi, K., Staurosporine enhances cAMP-induced expression of neural-specific gene VGF and tyrosine hydroxylase, 177
Nakagawa, T., see Ozawa, T., 117
Nakagawa, T., Yamane, H., Takayama, M., Sunami, K., Nakai, Y., Involvement of nitric oxide in aminoglycoside vestibulotoxicity in guinea pigs, 57
Nakagawa, Y., see Akao, Y., 153
Nakai, Y., see Nakagawa, T., 57
Nakajima, K., see Harada, S., 125
Nakamura, M., see Wada, Y., 61
Nakano, R., see Hozumi, I., 73
Namihira, M., Honma, S., Abe, H., Tanahashi, Y., Ikeda, M., Honma, K.-i., Daily variation and light responsiveness of mammalian clock gene, *Clock* and *BMAL1*, transcripts in the pineal body and different areas of brain in rats, 69
Naoi, M., see Akao, Y., 153
Naruse, M., see Harada, S., 125
Nathan, B.P., see Struble, R.G., 137
Nibuya, M., Takahashi, M., Russell, D.S., Duman, R.S., Repeated stress increases catalytic TrkB mRNA in rat hippocampus, 81
Nicol, T., see King, C., 89
Nilsson, G.E., see Söderström, V., 1
Nocentini, G., see Palumbo, B., 97

O'Brien, J.S., see Hozumi, I., 73
Oh, S.-J., see Kim, I.-B., 193
Ohlmann, T., see Golomer, E., 189
Okamoto, K., see Kanai, M., 65
Okochi, M., see Sekijima, Y., 121
Ozawa, T., Nakagawa, T., Minami, M., Satoh, M., Supersensitization of the adenylyl cyclase system in Chinese hamster ovary cells co-expressing cloned opioid receptors and $G_z$, a PTX-insensitive G protein, 117

Pacini, P., see Pacini, S., 185
Pacini, S., Vannelli, G.B., Barni, T., Ruggiero, M., Sardi, I., Pacini, P., Gulisano, M., Effect of 0.2 T static magnetic field on human neurons: remodeling and inhibition of signal transduction without genome instability, 185
Palumbo, B., Cadini, D., Nocentini, G., Filipponi, E., Fravolini, M.L., Senin, U., Angiotensin converting enzyme deletion allele in different kinds of dementia disorders, 97
Pearlstein, R.D., see Sheng, H., 13
Poncet, F., see Bayer, L., 77
Popivanov, D., Mineva, A., Krekule, I., EEG patterns in theta and gamma frequency range and their probable relation to human voluntary movement organization, 5
Potvin, J.R., see McIlroy, W.E., 197
Power, B.D., Mitrofanis, J., Evidence for extensive inter-connections within the zona incerta in rats, 9

Rampello, L., Drago, F., Nicergoline facilitates vestibular compensation in aged male rats with unilateral labyrinthectomy, 93
Renshaw, G.M.C., see Söderström, V., 1
Risso, J.J., see Darbin, O., 149
Roßner, S., see Lemke, R., 53
Rostain, J.C., see Darbin, O., 149
Ruggiero, M., see Pacini, S., 185
Russell, D.S., see Nibuya, M., 81

Sabban, E.L., see Chamas, F., 157
Saito, R., see Koga, N., 173
Sakamoto, H., Yoshida, M., Uematsu, K., Naturally occurring somatic motoneuron death in a teleost angelfish *Pterophyllum scalare*, 145
Sapolsky, R.M., see Brooke, S.M., 21
Sardi, I., see Pacini, S., 185
Sasaki, K., see Nagasaki, K., 177
Satoh, M., see Ozawa, T., 117
Schliebs, R., see Lemke, R., 53
see Mikuni, N., 165
Sekijima, Y., Kametani, F., Tanaka, K., Okochi, M., Usami, M., Mori, H., Tokuda, T., Ikeda, S.-i., Presenilin-1 exists in the axoplasm fraction in the brains of aged Down's syndrome subjects and non-demented individuals, 121
Senin, U., see Palumbo, B., 97
Serafini, M., see Hawranko, A.A., 101
Serova, L., see Chamas, F., 157
Sheng, H., Brady, T.C., Pearlstein, R.D., Crapo, J.D., Warner, D.S., Extracellular superoxide dismutase deficiency worsens outcome from focal cerebral ischemia in the mouse, 13
Shiraishi, J., see Wada, Y., 61
Shizuka, M., see Kanai, M., 65
Shoji, M., see Kanai, M., 65
Short, J., see Struble, R.G., 137
Smith, D.J., see Hawranko, A.A., 101
Söderström, V., Nilsson, G.E., Renshaw, G.M.C., Franklin, C.E., Hypoxia stimulates cerebral blood flow in the estuarine crocodile (*Crocodylus porosus*), 1
St.-John, W.M., Leiter, J.C., Maternal nicotine depresses eupneic ventilation of neonatal rats, 206
Struble, R.G., Short, J., Ghobrial, M., Nathan, B.P., Apolipoprotein E immunoreactivity in human and mouse olfactory bulb, 137
Sunami, K., see Nakagawa, T., 57

Takahashi, M., see Nibuya, M., 81
Takahashi, T., see Akao, Y., 153
Takano, Y., see Koga, N., 173
Takayama, M., see Nakagawa, T., 57
Tanahashi, Y., see Namihira, M., 69
Tanaka, K., see Sekijima, Y., 121
Tanaka, R., see Hozumi, I., 73
Tang, F., see Hwang, I.S.S., 85
Tanner, K., see Chen, X., 105
Theodor Kalveram, K., see Larisch, R., 29
Tokuda, T., see Sekijima, Y., 121
Tosch, M., see Larisch, R., 29
Truong, A., see Bondy, S.C., 25
Tsuji, S., see Hozumi, I., 73
Tsukada, T., see Nagasaki, K., 177

Uematsu, K., see Sakamoto, H., 145
Urakami, K., see Kanai, M., 65
Usami, M., see Sekijima, Y., 121

van den Bosch de Aguilar, P., see Detrait, E., 49
Vannelli, G.B., see Pacini, S., 185
Verhagen Metman, L., see Lemstra, A.W., 129

Wada, Y., Hirao, N., Shiraishi, J., Nakamura, M., Koshino, Y., Pindolol potentiates the effect of fluoxetine on hippocampal seizures in rats, 61
Wang, M.-S., see Gold, B.G., 33
Warner, D.S., see Sheng, H., 13
Watanabe, S., see Borlongan, C.V., 169
Watson, M.A., see Lephart, E.D., 41
Weiss, K.R., see Horn, C.C., 161
Wisniewski, H.M., see Dowjat, W.K., 141
Wisniewski, T., see Dowjat, W.K., 141

Yamaguchi, K., see Nagasaki, K., 177
Yamakawa, K., Kudo, K., Kanba, S., Arita, J., Distribution of prolactin-releasing peptide-immunoreactive neurons in the rat hypothalamus, 113
Yamane, H., see Nakagawa, T., 57
Yoneoka, Y., see Hozumi, I., 73
Yoshida, M., see Sakamoto, H., 145